

Report from the event supported by RadioNet

TITLE

THE BROAD IMPACT OF LOW FREQUENCY OBSERVING

DATE:

19 - 23 JUNE 2017

LOCATION:

BOLOGNA ITALY

MEETING WEBPAGE:

http://www astron.nl/lowfrequencyobserving2017/

HOST INSTITUTE:

IRA/INAF AND ASTRON

RADIONET

HETRON/C

BENEFICIARY / NO:

INAF/4



Report:

1. SCIENTIFIC SUMMARY

From 19-23 June 2017, the conference 'The Broad Impact of Low Frequency Observing' took place at the Conference Center of the INAF/C NR research campus, in Bologna (Italy). The event was connected with and naturally followed the yearly RadioNet-supported LOFAR Science Meetings where results from the LOFAR science projects are presented and discussed. This year, the event expanded its scope and explored relevant links to some of the main facilities complementary to LOFAR including the MWA, the VLA, and VLBI networks in the radio, as well as some of the world's major observatories at other wavebands. In this respect, the event was cross disciplinary and fed the collaboration between radio astronomers and scientists working in other bands of the electromagnetic spectrum, disseminating the knowledge acquired in our field to the broader astronomical community and at the same time broadening the scientific horizon of radio astronomiers.

The programme covered highlights from low frequency observations obtained with a range of observatories around the world. The e are significantly impacting science areas including the Epoch of Reionization & Cosmology, Pulsars, The Milky Way and Nearby Galaxies, AGN, Star Formation, Clusters, Sun, Ionosphere, Cosmic rays, and Transients. A few highlights from a few sessions are presented below.

The EoR talks showed that the man / telescopes that are trying to detect the EoR signal are facing many technical challenges. Specifically, foreground removal is one key challenge for 21cm EoR experiments. In this respect, it was important to see that the LOFAR-EOR project has made important steps forward and showed (thanks to better foreground analysis) LOFAR EoR upper limits a factor of 4 better with 3 nights data than previously with 13 nights of data (see Fig. 1).

Current best 2-sigma upper limits NB: Lim its are at different redshifts E R amutation CMRT Page of 02015 MAYA Bandary et al 02016 LOFAR Page of 02016 PAPER A of 02016 PAPER A of 02016 PAPER A of 02016 PAPER B OF 02016 S OF 02016 PAPER B OF 02016 S OF 02016 PAPER B OF 02016 S OF 020

Comparison of current progress

Figure 1: LOFAR EoR upper limits compared to those obtained with other instruments

The Pulsar talks showed the important physics that can be done at low frequency (probe magnetosphere, probe Interstellar medium, find msec pulsars) and how the improvement in computational power is now making all this possible.

The Milky Way session highlighted the very important studies that can be pursued at low frequencies for HII regions, supernova remnants and magnetic fields.

The Solar talks showed the capability of the current arrays to detect and study the powerful processes on the Sun at low radio frequencies, like solar radio bursts (see e.g. Fig. 2 from D. Morosan).






Figure 2: Type III Radio bursts detected with LOFAR and ORFEES

The low frequency regimes are key to detect and study diffuse radio sources in clusters that are not directly associated with radio galaxies. The origin of these sources is not yet well understood. The Galaxy cluster session showed many examples of such Mpc sources now imaged for the first time in great detail and sensitivity at low frequency thanks to the capabilities of the new observatories available. A very important highlight of this session was the image at 150 MHz of the Sausage cluster, by D. Hoang and collaborators. The image is presented here below.



Figure 3: the Sausage cluster as detected by LOFAR at 150 MHz

The science talks as well as the special session on Instrument & algorithms provided a comprehensive overview of the versatility and state-of-the-art technical capabilities available at low frequencies. With LOFAR unmistakably in a world-leading role, it is clear that the breadth of all available observing facilities and data analysis techniques together is contributing to the broad science impact being made.

This conference fitted well in the Radio Net framework as it had a major focus on the scientific results achieved using also RadioNet facilities, including LOFAR, and had a cross-disciplinary nature, as highlighted above.

Participants advertised the most relevant scientific results presented at the conferer ce through Twitter. The very long list of posts can be found at: https://twitter.com/hashtag/TBILFO2017



The event web page is http://www.astron.nl/lowfrequencyobserving2017/

2. AGENDA OF THE EVENT

The agenda of the event is reported below. The info on institute/country affiliation of the speakers can be found in the attendance list in Section 3.

Science Programme - Low Frequency Observing 2017

Monday, 19 June 2017

09.00-09.10 Filippo Zerbi Rene Vermeulen

Introduction/welcome

Epoch of Reionisation and Cosmology (Chair: R. Wayth)

09.40-10.00 10.00-10.20	Jonathan Pritchard Andre Offringa Cathryn Trott Emma Chapman	Epoch of Reionisation and Cosmology at ow frequencies The EoR with LOFAR Progress towards the EoR with the Murchison Widefield Array Foreground Removal in the Epoch of Reionisation
10.35-11.05	Break	
11.25-11.45 11.45-12.00 12.00-12.15	Gianni Bernardi Benedetta Ciardi Nichole Barry Marta Spinelli	The Epoch of Reionization Array (HERA) EoR Simulations and 21cm Absorption Sky-Based Calibration and the EoR Power Spectrum: Contamination, Mitigation, and Implications Polarised synchrotron simulations for EoR experiments
	Carolin Hofer Andrei Mesinger	Canadian Hydrogen Intensity Mapping Experiment Learning about astrophysics with the cosmic 21-cm signal
12.45-14.15	Lunch	
Pulsars		(Chair: H. Falcke)
14.45-15.05 15.05-15.25	Jason Hessels Ramesh Bhat Catarina Tiburzi Cees Bassa	The low-frequency pulsar renaissance Pulsar Astronomy with the Murchison Widefield Array Pulsar Timing with LOFAR Searching for millisecond pulsars towards Fermi gamma-ray sources wth LOFAR
15.40-16.10	Break	
16.10-16.30	Bhaswati Bhattacharyya	Pulsars and Transients with the GMRT

16.30-16.45 Chia Min Tan 16.45-17.00 Mengyao Xue LOTAAS Periodicity Search for Pulsars A Low Frequency Census of Southern Pulsars with the MWA 17.00-17.15 Elliott Polzin LOFAR study of the eclipses of black widow pulsar J1810+1744

Exoplanets

17.15-17.35 Jean-Mathias Griessmeier Observations of extrasolar planets at low radio frequencies 17.35-17.50 Jake Turner The search for radio emission from exoplanets using LOFAR low-frequency beam-formed observations

19:00 - 21:00 Welcoming reception Hotel I Portici Via dell'Indipendenza 69 40121 Bologna



Tuesday, 20 June 2017

The Milky Way and Nearby G	laxies (Chair: R. Dettmar)
----------------------------	----------------------------

09.00-09.30 Marijke Haverkorr 09.30-09.45 Raymond Oonk 09.45-10.05 George Heald 10.05-10.20 David Mulcahy 10.20-10.35 Krzysztof Chyzy 10.35-10.50 Fatemeh Tabataba	The Milky Way at low frequencies Uncovering the diffuse CO-dark gas in cold interstellar clouds Low-frequency observations of nearby galaxies Exploring the low frequency nature of nearby galaxies with observations and modelling Flattening of low-frequency spectra of nearby galaxies Cloud-Scale GMRT Survey of M33: Unveiling the Low-Frequency Properties of the ISM
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

10.50-11.20 Break

Solar Physics

11.20-11.50 Divya Oberoi	The Sun and the Heliosphere at Low Radio Frequencies
11.50-12.10 Diana Morosan	LOFAR Tied array Imaging and Spectroscopy of Solar RadioBursts
12.1-12.25 Eduard Kontar	The First Imaging Spectroscopy of the Sclar Radio Burst Fine Structures
12.25-12.40 Gottfried Mann	Tracking of an electron beam through the solar corona with LOFAR
12.40-12.55 Nicoline Chrysaphi	Imaging Spectroscopy of a Type II solar radio burst observed by LOFAR

12.55-14.25 Lunch

Instruments and Algorithms

Instruments and Algorithms	(Chair: I. Prandoni)	
14.25-14.55 Robert Braun 14.55-15.10 Jason Hessels 15.15-15.35 Andre Offringa 15.35-15.50 Jess Broderick	Low Frequency Science with the Square Kilometre Array LOFAR 2.0: A premier low-frequency facility for the next decade Low frequency imaging LOFAR MSSS: A low-frequency counterpart to NVSS	
15.50-16.20 Break		
16.20-16.35 Paul Hancock 16.35-16.55 Neal Jackson 16.55-17.10 Franz Kirsten 17.10-17.25 Francesco de Gasperin	The GLEAM survey: Imaging and Calibration challenges Long baselines at low frequencies Low Frequency VLBI: fringes between MVVA and GMRT Imaging at 50 MHz: the LOFAR LBA survey	

Wednesday, 21 June 2017

The state of the s			
Instruments and	Algorithms (cont.)	/Chain D Man	
monumento anu	Aluullumis II oni. I	ICHAIR R VER	nellien

instruments and Algorithms (cont.)	(Chair: R. Vermeulen)
09.00-09.20 Cyril Tasse	Direction dependent imaging and Wirtinger calibration for low frequency radio surveys
09.20-09.40 Huub Rottgering	Deep and sharp imaging at low radio frequencies with LOFAR. Studies of clusters, AGN and starburst galaxies
09.40-09.55 Tim Shimwell	Galaxy Clusters in the LOFAR Two-metre Sky Survey
Clusters	
09.55-10.25 Gianfranco Brunet i	Non thermal phenomena in galaxy clusters at low radio frequencies
10.25-10.40 Melanie Johnston-Hollitt	A Catalogue of Relics and Halos from the MWA GLEAM Survey
10.40-11.10 Break	
11.10-11.30 Franco Vazza	The low-frequency view on the complex life of galaxy cluster



11.30-11.45 Kamlesh Rajpur mit

11.45-12.00 Gabriella di Gen 1aro 12.00-12.15 Christopher Riseley

12.15-12.30 Annalisa Bonafe 19

12.30-12.45 Virginia Cuciti

12:45-14:15 Lunch

Social activities after lunch

20:00 - ~22:30 Conference di mer Palazzo Isolani Via Santo Stefano 16 40125 Bologna

outskirts

A spectacular view of the Toothbrush: flaments and

inhomogeneous magnetic fields

Deep in the (un)known: the Sausage Cluster

Magnetic Fields in High-z Clusters: A Full-Polarization Study of

MACS J0025.4-1222 with the

GMRT

New radio emission from the cluster MACSJ0717+3745 - LOFAR

observations

New detections of radio halos in galaxy clusters with low

frequency GMRT observations

Thursday, 22 June 2017

AGN Physics

09.00-09.30 Raffaella Morganti 09.30-09.45 Joseph Callinghain

09.45-10.00 Simona Giacintuc:

10.00-10.15 Rajan Chhetri

10.15-10.30 Jeremy Harwood

10.30-11.00 Break

AGN and galaxy evolution

11.00-11.50 Elaine Sadler 11.30-11.50 Wendy Williams

11.50-12.05 Sarah White

12.05-12.20 David Nisbet

12.20-12.35 Kimberly Emig

12.35-14.05 Lunch

14.05-14.25 Vernesa Smolcic

14.25-14.45 Tom Muxlow

14.45-15.00 Gulay Gurkan

15.00-15.15 Volker Heesen

15.15-15.30 Nick Seymour

15.30-16.00 Break

(Chair: M. Johnston-Hollitt)

The physics and lifecycle of local radio AGN

Dying young and frustrated? A low radio frequency view of 'young' radio galaxies

Tracing multiple AGN outbursts at low frequency in cool-core

clusters

Sub-arcsec compact source properties using wide field

interplanetary scintillation with the MWA

The low-frequency perspective of FR II radio galaxies

Radio AGN populations and their evolution

Deep LOFAR imaging and AGN evolution The MWA GLEAM 4-Jy Sample

The Determination of the Luminosity Function of Jet-mode AGN out to a Redshift of z~2

The first detections of radio recombination lines at cosmological distances

VLA-COSMOS 3 GHz Large Project: Cosmic evolution of radio AGN and star forming galaxies since z~5

Star-formation Across Cosmic Time: Initia Results from the e-

MERGE Study of the µJy Radio Source Population

LOFAR/H-ATLAS: The low-frequency radio luminosity - starformation rate relation

The low-frequency radio continuum' star formation rate relation in nearby galaxies with LOFAR

The Surprising Complexity of the Radio Ernission from StarForming Galaxies



Ionosphere & Upper Atmosphere

(Chair: H. Rothkaehl)

16.00-16.20 Maaijke Mevius 16.20-16.40 Huib Intema

16.40-16.55 Christopher Jordan

17.10-17.30 Richard Fallows 17.30-17.45 Brian Hare

16.55-17.10 Maria Rioja

Probing ionospheric structures using LOFAR SPAM - 10 years of ionospheric calibration Ionospheric characterisation above the Murchison Radio Observatory with EoR datasets

lonospheric studies and calibration using MWA and LOFAR observations

From the Sun to the Earth: Observing Space Weather with LOFAR LOFAR for Lightning Interferometry and Mapping

19:00-20:00 Public lecture (ir Italian) by Daria Guidetti (INAF-IRA) Auditorium Biagi In the main Bologna Public Lib ary Sala Borsa Piazza del Nettuno, 3, 40124 E clogna

Friday, 23 June 2017

Cosmic Rays

09.00-09.30 Heino Falcke 09.30-09.50 Tim Huege 09.50-10.10 Stijn Buitink 10.10-10.25 Olaf Scholten

10.25-10.40 Arthur Corstanje

10.40-11.10 Break

Transients

11.10-11.40 Tara Murphy 11.40-12.00 Emily Petroff 12.00-12.20 Ralph Wijers 12.20-12.35 Steve Croft 12.35-12.50 David Kaplan

(Chair: A. Rowlinson)

Cosmic Ray studies at low frequencies

Precision measurements of cosmic-ray air showers with SKA-low Radio detection of neutrinos with LOFAR and ARIANNA Status and perspectives of the radio detection technique of cosmic

ray air showers Improving the accuracy of cosmic-ray composition measurements

with LOFAR

Exploring the dynamic radio sky with SKA pathfinders Fast Radio Bursts: Recent Discoveries and Future Prospects Finding transients in the image plane at low radio frequencies Breakthrough Listen

Faint, Highly-Polarized Flares from UV Ceti with the MWA

12.50-13.00 Concluding remarks

3. PARTICIPANTS

200 participants attended the conference. Gender balance played an important role in the event. 32% of the participants, 30% of the SOC and 50% of the LOC were women. 48 participants were phd, and 48 were post-doc. 34 experts in various astrophysical areas, 38.5% of which are women, have been invited to give review and invited talks. The country affiliation of the participants is shown in the chart below.






Figure 4: country affiliation of the par icipants

The conference picture taken at the conference venue is shown below.



Figure 5: Conference pictur : taken on Tuesday 20 June at the conference venue.